



Palmetto Peptides LLC
Support@palmettopeps.com

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

Semax
YPF5-FBP3
07/09/2026
08/13/2026



DECLARED IDENTITY	Semax
MATRIX TYPE:	PEPTIDE
SAMPLE NAME:	Semax
SAMPLE SIZE:	10.0 mg
LOT CODE:	ARC-SE10-002




13.2 mg
Total Quantity



99.635%
Total Blend Purity

Sample	Test	Specification	Result	Status
Semax	IDENTITY	Semax	Semax	CONFORMS
Semax	QUANTITY	MEASURE	13.2 mg	MEASURED
Semax	PURITY	> 98.0%	99.635%	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
08/13/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
08/13/2026

ACCUMARKLABS.COM
YPF5-FBP3
08/13/2026





Palmetto Peptides LLC
Support@palmettopeps.com

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

Semax
YPF5-FBP3
07/09/2026
08/13/2026

Sample	Test	Specification	Result	Status
Semax	Endotoxin (LAL)	≤ 5.0 EU/mL	Pass	CONFORMS
Semax	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

RESULTS CERTIFIED BY:


Anthony Burke PhD
Lab Manager
08/13/2026

RESULTS CERTIFIED BY:


Dr. Levi Fried MD
Lab Director
08/13/2026

ACCUMARKLABS.COM
YPF5-FBP3
08/13/2026

